



2019 SPEC SHEET

# Thor Aria

Floor plans: 3901

## 5-STAR FEATURES



24/7 factory-direct phone support  
Free mobile app: Search "Freightliner 24/7"



Increased towing capacity  
Superior roll stability & handling  
Greater durability & longevity

### ENGINE

<b>Make</b>	Cummins B6.7
<b>Horsepower</b>	360 HP @ 2,600 rpm
<b>Torque</b>	800 lb/ft

### WEIGHT RATINGS

<b>Front GAWR</b>	14,320 lbs
<b>Rear GAWR</b>	21,000 lbs
<b>Tag GAWR</b>	N/A
<b>Total GVWR</b>	35,320 lbs
<b>Total GCWR</b>	35,320 lbs

### TRANSMISSION

<b>Type</b>	Automatic
<b>Gears</b>	Allison 3000 6-speed

### FUEL

<b>Type</b>	Diesel
<b>Fuel Tank</b>	100 Gallon
<b>Def Tank</b>	13 Gallon

### SUSPENSION

<b>Front</b>	NEWAY
<b>Wheel Cut</b>	55 Degree front wheel
<b>Rear</b>	V-Ride

### SHOCKS

<b>Make</b>	Sachs custom tuned
-------------	--------------------

### AXLES

<b>Front</b>	Detroit DA-F-14.7-3
<b>Rear</b>	Detroit DA-RS-21.0-4

### BRAKES

<b>Front</b>	Bendix Air Disc Brakes with ABS
<b>Rear</b>	Meritor CAM Brakes with ABS

### RAILS

<b>Front</b>	9.0" x 2.75" x 0.25"
<b>Upper</b>	9.0" x 2.75" x 0.25"
<b>Rear</b>	9.0" x 2.75" x 0.25"

### FRAME

<b>Construction</b>	Raised rail with lowered rear section
<b>Wheel Base</b>	272"

### COOLING

<b>Radiator</b>	1,335 sq/inch, Rear mounted
-----------------	-----------------------------

### HITCH

<b>Capacity</b>	N/A
-----------------	-----

### TIRES

<b>Make</b>	Michelin X
<b>Front Size</b>	275/80R 22.5
<b>Rear Size</b>	275/80R 22.5
<b>Wheels</b>	8.25" Aluminum

### ELECTRICAL

<b>Alternator</b>	160 Amp
<b>Battery</b>	(2) 1,900 CCA @ 0 degrees F

### CONTROLS

<b>Steering Column</b>	TRW Tilt/3" Telescopic
<b>Steering Wheel</b>	V.I.P. 4-SPOKE 18" (450MM) BLACK
<b>Instruments</b>	Analog gauges w/ integral message center

### WARRANTY

<b>Basic Chassis / Drivetrain</b>	3 years, 50,000 mi
<b>Engine</b>	5 years, 100,000 mi
<b>Transmission</b>	5 years, 200,000 mi
<b>Battery</b>	1 year, 100,000 mi
<b>Corrosion / Brightwork</b>	6 months unlimited
<b>Frame Rails / Cross Member</b>	5 years, 100,000 mi